THE CANADIAN ENTOMOLOGIST

Index to Volume 113 (1981)

SUPPLEMENTS AND MEMOIRS

THE ENTOMOLOGICAL SOCIETY OF CANADA, OTTAWA

Adams, P.A. and **Garland, J.A.** A new species of *Chrysopiella* Banks from western North America (Neuroptera: Chrysopidae), 1.

Addicott, J.F. Synonymy of *Aphis heraclella* Davis 1919 with *Aphis helianthi* Monell 1879 (Homoptera: Aphididae), 167.

A modified clip cage for use with aphids and other small insects, 171.

Allan, S.A., Surgeoner, G.A., Helson, B.V., and **Pengelly, D.H.** Seasonal activity of *Mansonia perturbans* adults (Diptera: Culicidae) in southwestern Ontario, 133.

Allen, D.C. See Claflin, S.H., 265.

Allen, G.E. See Moscardi, F., 113.

Alloway, T.M. See van Bendegem, J.P., 551.

Allyson, S. Description of the last instar larva of the cabbage webworm, *Hellula rogatalis* (Lepidoptera: Pyralidae), with a key to larvae of North American species of *Hellula* Guenée, 361.

Last instar larvae of Pyraustini of America north of Mexico (Lepidoptera: Pyralidae), 463.

Atkinson, T.H. See Wilkening, A.J., 453.

Barfield, C.S. See Moscardi, F., 113.

Barlin, M.R. and **Vinson, S.B.** The multiporous plate sensillum and its potential use in braconid systematics (Hymenoptera: Braconidae), 931.

Baumgaertner, J.U. See Gutierrez, A.P., 21.

Baumgaertner, J.U., Frazer, B.D., Gilbert, N., Gill, B., Gutierrez, A.P., Ives, P.M., Neatis, V., Raworth, D.A., and **Summers, C.G.** Coccinellids (Coleoptera) and aphids (Homoptera), 975.

Berisford, C.W. See Kudon, L.H., 205.

Bocchino, F.J. and **Sullivan, D.J.** Effects of venoms from two aphid hyperparasitoids, *Asaphes lucens* and *Dendrocerus carpenteri* (Hymenoptera: Pteromalidae and Megaspilidae), on larvae of *Aphidius smithi* (Hymenoptera: Aphidiidae), 895.

Boisvert, J-M., Cloutier, C., and **McNeil, J.** *Hyadaphis tataricae* (Homoptera: Aphididae), a pest of honeysuckle new to North America, 415.

Bond, E.J. See Herne, D.C., 121.

Borden, J.H., Chong, L., Slessor, K.N., Oehlschlager, A.C., Pierce, H.D., and **Lindgren, B.S.** Allelochemic activity of aggregation pheromones between three sympatric species of ambrosia beetles (Coleoptera: Scolytidae), 557.

Bostanian, N.J. The St-Jean mite cage, 359.

Bright, D.E. A new synonym of *Agrilus sayi* (Coleoptera: Buprestidae), 871.

Brown, M.W., Rosenberger, J.L., and **Cameron, E.A.** Development and evaluation of a sampling scheme for the gypsy moth egg parasitoid *Ooencyrtus kuvanae* (Hymenoptera: Encyrtidae), 575.

Brust, R.A. See Westwood, A.R., 223.

Burgess, L. Winter sampling to determine overwintering sites and estimate density of adult flea beetle pests of rape (Coleoptera: Chrysomelidae), 441.

Buth, J.L. and **Ellis, R.A.** Trapping elm bark beetles in the City of Winnipeg with a new record for *Scolytus multistriatus* (Coleoptera: Scolytidae), in Manitoba, 263.

Butler, G.D. See Sharpe, P.J.H., 845.

Butts, R.A. and **McEwen, F.L.** Seasonal populations of the diamondback moth, *Plutella xylostella* (Lepidoptera: Plutellidae), in relation to day-degree accumulation, 127.

Byers, J.R. See Underhill, E.W., 245.

Byers, J.R., Underhill, E.W., Steck, W.F., Chisholm, M.D., and **Teal, P.E.A.** Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae). XV. Sex pheromone cross attractancy among the three closely related species of the *declarata* group, 235.

Calvert, W.H. See Frazier, J.L., 35.

Cameron, E.A. See Brown, M.W., 575.

Castrovillo, P. J. See Stock, M.W., 857.

Chapman, R.A. See Harris, C.R., 685.

Chawla, S.S., Perron, J.-M., and **Radouco-Thomas, C.** Effects of ingested ethanol on adult *Drosophila melanogaster* (Diptera: Drosophilidae), 315.

Cheng, H.H. Additional hymenopterous parasites newly recorded from the darksided cutworm, *Euxoa messoria* (Lepidoptera: Noctuidae), in Ontario, 773.

Chisholm, M.D. See Byers, J.R., 235; Underhill, E.W., 245.

Chong, L. See Borden, J.H., 557.

Chu, Wei Hsuang and **Jaques, R.P.** Factors affecting infectivity of *Vairimorpha necatrix* (Microsporidia: Nosematidae) in *Trichoplusia ni* (Lepidoptera: Noctuidae), 93.

Claflin, S.H., and **Allen, D.C.** Biology of *Ancylis discigerana* (Lepidoptera: Tortricidae), 265.

Clement, S.L. See Simonet, D.E., 873.

Cloutier, C. See Boisvert, J-M., 415.

Cloutier, C., McNeil, J.N., and **Regnière, J.** Fecundity, longevity, and sex ratio of *Aphidius nigripes* (Hymenoptera: Aphidiidae) parasitizing different stages of its host, *Macrosiphum euphorbiae*) (Homoptera: Aphididae), 193.

Colbo, M.H. See Harding, J., 761.
Colwell, A.E. and **Schaefer, C.H.** Effects of the insect growth regulator Bay SIR 8514 on pest Diptera and nontarget aquatic organisms, 185.
Connor, M.D. See Wilkening, A.J., 453.
Craig, C.H. See Mukerji, M.K., 705.
Croft, B.A. See Riedl, H., 765.
Cunningham, T.K. See Singh, S.M., 539.
Dimond, J.B. and **Spies, C.J.** Two-year effects of a *Bacillus thuringiensis* treatment on spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 661.
Dolan, D.D. See Fiori, B.J., 1049.
Dosdall, L.M. and **Mason, P.G.** A chironomid (*Nanocladius (Plectopteracoluthus) branchicolus*: Diptera) phoretic on a stonefly (*Acroneuria lycorias*: Plecoptera) in Saskatchewan, 141.
Doyle, B. See Grant, G.G., 449.
Drooz, A.T. Subfreezing eggs of *Lambdina pellucidaria* (Lepidoptera: Geometridae) alters status as factitious host for *Ooencyrtus ennomophagus* (Hymenoptera: Encyrtidae), 775.
Dropkin, J.A. and **Gamboa, G.J.** Physical comparisons of foundresses of the paper wasp, *Polistes metricus* (Hymenoptera: Vespidae), 457.
Eidt, D.C. Recovery of aquatic arthropod populations in a woodland stream after depletion by fenitrothion treatment, 303.
Elliott, W.M. The relationship of embryo counts and suction trap catches to populations dynamics of *Macrosiphum euphorbiae* (Homoptera: Aphididae) on tomatoes in Ontario, 1113.
Ellis, R.A. See Buth, J.L., 263.
Everson, P.R. and **Tonks, N.V.** The effect of temperature on the toxicity of several pesticides to *Phytoseiulus persimilis* (Acarina: Phytoseiidae) and *Tetranychus urticae* (Acarina: Tetranychidae), 333.
Ewen, A.B. See Mukerji, M.K., 705.
Finlayson, T. See Gillespie, D.R., 45.
Fiori, B.J. and **Dolan, D.D.** Field tests for *Medicago* resistance against the potato leafhopper (Homoptera: Cicadellidae), 1049.
Fitzpatrick, S.M. See Wellington, W.G., 695.
Fletcher, R.M. See Sanders, C.J., 943.
Fogal, W.H., Winston, D.A., Lopushanski, S.M., MacLeod, D.A., and **Willcocks, A.J.** Soil application of carbofuran to control spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), in a managed white spruce seed production area, 949.
Foltz, J.L. See Wilkening, A.J., 453.
Foott, W.H. and **Timmins, P.R.** Effects of a natural bivoltine strain of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae), on grain corn yields in southwestern Ontario, 1973-77, 585.
Ford, R.J. See Mukerji, M.K., 705.
Francoeur, A. Le groupe néarctique *Myrmica lampra* (Formicidae, Hymenoptera), 755.
Frazer, B.D. See Baumgaertner, J.U., 975.
Frazer, B.D. and **Gill, B.** Age, fecundity, weight, and the intrinsic rate of increase of the lupine aphid *Macrosiphum albifrons* (Homoptera: Aphididae), 739.
Frazier, J.L., Nebeker, T.E., Mizell, R.F., and **Calvert, W.H.** Predatory behavior of the clerid beetle *Thanasimus dubius* (Coleoptera: Cleridae) on the southern pine beetle (Coleoptera: Scolytidae), 35.
Frech, D. See Grant, G.G., 449.
Fredeen, F.J.H. The seven larval instars of *Simulium (Phosterodoros) luggeri* (Diptera: Simuliidae), 161.
Gamboa, G.J. See Dropkin, J.A., 457.
Gardiner, L.M. Seasonal activity of the native elm bark beetle, *Hylurgopinus rufipes*, in central Ontario (Coleoptera: Scolytidae), 341.
Gardner, W.A., Shepard, M., and **Noblet, R.** Precipitin test for examining predator-prey interactions in soybean fields, 365.
Garland, J.A. See Adams, P.A., 1.
Gerber, G.H. Cold-hardiness in the eggs of the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 795.
Gerber, G.H. and **Obadofin, A.A.** Growth, development, and survival of the larvae of the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), on *Brassica campestris* and *B. napus* (Cruciferae), 395.
The suitability of nine species of Cruciferae as hosts for the larvae of the red turnip beetle, *Entomoscelis americana* (Coleoptera: Chrysomelidae), 407.
Gibo, D.L. See van Bendegem, J.P., 551.
Gibson, G.A.P. and **Yoshimoto, C.M.** Redescription of *Tetracylos boreios* (Hymenoptera: Encyrtidae), with a discussion of its placement and structure, 881.
Gilbert, N. See Baumgaertner, J.U., 975.

Gill, B. See Frazer, B.D., 739; Baumgaertner, J.U., 975.
Gillespie, D.R. and **Finlayson, T.** Final-instar larvae of native hymenopterous and dipterous parasites of *Operophtera* spp. (Lepidoptera: Geometridae) in British Columbia, 45.
Goulet, H. New external distinguishing characters for the sawflies *Gilpinia hercyniae* and *G. polytoma* (Hymenoptera: Diprionidae), 769.
Distinguishing external features of adult males and females of North American species of *Phymatocera* Dahlbom (Hymenoptera: Tenthredinidae), and their phylogeny, 801.
Goyer, R.A. and **Smith, M.T.** The feeding potential of *Corticeus glaber* and *Corticeus parallelus* (Coleoptera: Tenebrionidae), facultative predators of the southern pine beetle, *Dendroctonus frontalis* (Coleoptera: Scolytidae), 807.
Grant, G.G., Frech, D., MacDonald, L., and **Doyle, B.** Effect of additional components on a sex attractant for the oak leaf shredder, *Croesia semipurpurana* (Lepidoptera: Tortricidae), 449.
Guppy, J.C. Bionomics of the alfalfa blotch leafminer, *Agromyza frontella* (Diptera: Agromyzidae), in eastern Ontario, 593.
Gutierrez, A.P. See Baumgaertner, J.U., 975.
Gutierrez, A.P., Baumgaertner, J.U., and **Hagen, K.S.** A conceptual model for growth, development, and reproduction in the ladybird beetle, *Hippodamia convergens* (Coleoptera: Coccinellidae), 21.
Haas, G.E.and **Johnson, L.** A Siphonaptera collection from small mammals by the Canol Road, Yukon Territory, 567.
Hackney, O.P. See Nebeker, T.E., 199.
Hagen, K.S. See Gutierrez, A.P., 21.
Hagley, E.A.C. and **Simpson, C.M.** Effect of food sprays on numbers of predators in an apple orchard, 75.
Hagley, E.A.C., Pree, D.J., Simpson, C.M., and **Hikichi, A.** Toxicity of insecticides to parasites of the spotted tentiform leafminer (Lepidoptera: Gracillariidae), 899.
Hamilton, K.G.A. Morphology and evolution of the rhynchotan head (Insecta: Hemiptera, Homoptera), 953.
Hannay, C.L. and **McLeod, D.G.R.** A microsporidian infecting the white cutworm, *Euxoa scandens* (Lepidoptera: Noctuidae), 173.
Hara, A.H. See Kaya, H.K., 787.
Harcourt, D.G. A thermal summation model for predicting seasonal occurrence of the alfalfa weevil, *Hypera postica* (Coleoptera: Curculionidae), in southern Ontario, 601.
Harding, J. and **Colbo, M.H.** Competition for attachment sites between larvae of Simuliidae (Diptera), 761.
Harris, C. See Harris, C.R., 685.
Harris, C.R., Chapman, R.A., and **Harris, C.** Laboratory studies on the persistence and behaviour in soil of four pyrethroid insecticides, 685.
Helson, B.V. See Allan, S.A., 133.
Herbert, H.J. Biology, life tables, and intrinsic rate of increase of the European red mite, *Panonychus ulmi* (Acarina: Tetranychidae), 65.
Biology, life tables, and innate capacity for increase of the twospotted spider mite, *Tetranychus urticae* (Acarina: Tetranychidae), 371.
Herne, D.C. and **Bond, E.J.** Control by fumigants of winter eggs of European red mite, *Panonychus ulmi* (Acarina: Tetranychidae), on harvested apples, 121.
Hikichi, A. See Hagley, E.A.C., 899.
Hocking, R.R. See Nebeker, T.E., 199.
Holsten, E.H. and **Wolfe, R.L.** Collecting ambrosia beetles (Coleoptera: Scolytidae) with an increment borer, 79.
Houseweart, M.W., Jennings, D.T., and **Sanders, C.J.** Variables associated with pheromone traps for monitoring spruce budworm populations (Lepidoptera: Tortricidae), 527.
Howden, A. T. See Howden, H.F., 1055.
Howden, A.T. and **Howden, H.F.** The larva and adult biology of *Rhinosimus viridiaeneus* (Coleoptera: Salpingidae), 1055.
Howell, D.A. See Kondratieff, B.C., 259.
Hoyt, S.C. See Jorgensen, C.D., 149.
Ives, P.M. See Baumgaertner, J.U., 975.
Jamnback, H. See Wraight, S.P., 379.
Jaques, R.P. See Chu, Wei Hsuang, 93.
Jennings, D.T. See Houseweart, M.W., 527.
Johnson, L. See Haas, G.E., 567.
Jones, R.H. See Lillie, T.H., 419.
Jorgensen, C.D., Rice, R.E., Hoyt, S.C., and **Westigard, P.H.** Phenology of the San Jose scale (Homoptera: Diaspididae), 149.

Juliano, S.A. *Trichogramma* spp. (Hymenoptera: Trichogrammatidae) as egg parasitoids of *Sepedon fuscipennis* (Diptera: Sciomyzidae) and other aquatic Diptera, 271.
Kaya, H.K., Hara, A.H., and **Reardon, R.C.** Laboratory and field evaluation of *Neoaplectana carpocapsae* (Rhabditida: Steinernematidae) against the elm leaf beetle (Coleoptera: Chrysomelidae) and the western spruce budworm (Lepidoptera: Tortricidae), 787.
Kelton, L.A. First record of a European bug, *Myrmedobia exilis* (Heteroptera: Microphysidae), in the Nearctic Region, 1125.
Kendall, D.M., Kevan, P.G., and **Lafontaine, J.D.** Nocturnal flight activity of moths (Lepidoptera) in alpine tundra, 607.
Kevan, P.G. See Kendall, D.M., 607.
Kimball, R.A. See Robertson, J.L., 827.
Knowlton, A.D. See Neilson, W.T.A., 1061.
Kondratieff, B.C., Voshell, J.R., and **Howell, D.A.** The adult of *Drunella allegheniensis* (Ephemeroptera: Ephemerellidae) with biological notes, 259.
Kudon, L.H. and **Berisford, C.W.** Identification of host origin of parasites of bark beetles (Coleoptera: Scolytidae) by fatty acid composition, 205.
Lafontaine, J.D. See Kendall, D.M., 607.
Lamb, R.J. and **Loschiavo, S.R.** Diet, temperature, and the logistic model of developmental rate for *Tribolium confusum* (Coleoptera: Tenebrionidae), 813.
Lanier, G.N. See Rabaglia, R.J., 565.
Legner, E.F. and **Medved, R.A.** Pink bollworm, *Pectinophora gossypiella* (Diptera: Gelechiidae), suppression with Gossyplure, a pyrethroid, and parasite releases, 355.
Leprince, D.J. See Lewis, D.J., 891.
Lewis, D.J. and **Leprince, D.J.** Horse flies and deer flies (Diptera: Tabanidae) feeding on cattle in southwestern Quebec, 891.
Lillie, T.H., Marquardt, W.C., and **Jones, R.H.** The flight range of *Culicoides variipennis* (Diptera: Ceratopogonidae), 419.
Lindgren, B.S. See Borden, J.H., 557.
Lockhart, W.L. See Sebastien, R.J., 281.
Lopushanski, S.M. See Fogal, W.H., 949.
Loschiavo, S.R. See Lamb, R.J., 813.
Lucuik, G.S. See Sanders, C.J., 943.
MacDonald, L. See Grant, G.G., 449.
MacLeod, D.A. See Fogal, W.H., 949.
Maier, C.T. Parasitoids emerging from puparia of *Rhagoletis pomonella* (Diptera: Tephritidae) infesting hawthorn and apple in Connecticut, 867.
Maire, A. See Savignac, R., 13.
Marquardt, W.C. See Lillie, T.H., 419.
Masner, L. Revision of the Nearctic species of *Metaclisis* Foerster (Hymenoptera, Platygastridae, Inostemmatinae), 1069.
Mason, P.G. See Dosdall, L.M., 141.
Mason, R.R. Host foliage in the susceptibility of forest sites in central California to outbreaks of the Douglas-fir tussock moth, *Orgyia pseudotsugata* (Lepidoptera: Lymantriidae), 325.
Mason, W.R.M. Paxylommatidae: The correct family-group name for *Hybrizon* Fallén (Hymenoptera: Ichneumonoidea), with figures on unusual antennal sensilla, 427.
Maudlin, J.K. See Williams, L.H., 651.
McAlpine, J.F. *Morgea freidbergi* new species, a living sister-species of the fossil species *M. mcalpinei*, and a key to world genera of Pallopteridae (Diptera), 81.
McAlpine, J.F. and **Slight, C.** The wheat bulb fly, *Delia coarctata*, in North America (Diptera: Anthomyiidae), 615.
McEwen, F.L. See Butts, R.A., 127.
McIver, J.D. An examination of the utility of the precipitin test for evaluation of arthropod predator-prey relationships, 213.
McKillop, W.B. and **Preston, W.B.** Vapour degreasing. A new technique for degreasing and cleaning entomological specimens, 251.
Colour measurement of entomological specimens, 255.
McKinlay, K.S. The importance of dry plant material in the diet of the grasshopper *Melanoplus sanguinipes* (Orthoptera: Acrididae), 5.
McLeod, D.G.R. Factors affecting the temporal distribution of the spring flight of the European corn borer, *Ostrinia nubilalis* (Lepidoptera: Pyralidae), 433.
See Hannay, C.L., 173.
McMullen, L.H. See Nijholt, W.W., 337.
McNeil, J.N. See Cloutier, C., 193; Boisvert, J-M., 415.

McRae, K.B. See Neilson, W.T.A., 1061.
Medved, R.A. See Legner, E.F., 355.
Mizell, R.F. See Frazier, J.L., 35.
Mizell, R.F. and Nebeker, T.E. Within-tree distribution of the pupae of *Thanasimus dubius* (Coleoptera: Cleridae), a predator of the southern pine beetle (Coleoptera: Scolytidae), 387.
Moeck, H.A. Ethanol induces attack on trees by spruce beetles, *Dendroctonus rufipennis* (Coleoptera: Scolytidae), 939.
Molloy, D. See Wraight, S.P., 379.
Moreno, D.S. See Tanigoshi, L.K., 9.
Morris, R.F. Note on the occurrence of the lubber grasshopper, *Brachystola magna* (Orthoptera: Romaleidae), in Newfoundland, 659.
Moscardi, F., Barfield, C.S., and Allen, G.E. Impact of soybean phenology on velvetbean caterpillar (Lepidoptera: Noctuidae): Oviposition, egg hatch, and adult longevity, 113.
Mukerji, M.K., Ewen, A.B., Craig, C.H., and Ford, R.J. Evaluation of insecticide-treated bran baits for grasshopper control in Saskatchewan (Orthoptera: Acrididae), 705.
Nealis, V. See Baumgaertner, J.U., 975.
Nebeker, T.E. See Frazier, J.L., 35; Mizell, R.F., 387.
Nebeker, T.E., Hackney, O.P., and Hocking, R.R. Indirect estimation of southern pine beetle (Coleoptera: Scolytidae) gallery length utilizing host characteristics, 199.
Neilson, W.T.A., Knowlton, A.D., and McRae, K.B. Preoviposition and oviposition periods of the apple maggot, *Rhagoletis pomonella* (Diptera: Tephritidae), 1061.
Neunzig, H.H. See Stehr, F.W., 1107.
Nijholt, W.W., McMullen, L.H., and Safranyik, L. Pine oil protects living trees from attack by three bark beetle species, *Dendroctonus* spp. (Coleoptera: Scolytidae), 337.
Noblet, R. See Gardner, W.A., 365.
Novak, R.J. Oviposition sites of *Aedes vexans* (Diptera: Culicidae): Wet-prairie habitats, 57.
Obadofin, A. A. See Gerber, G.H., 395, 407.
Oehlschlager, A.C. See Borden, J.H., 557.
Oester, P.T., Rudinsky, J.A., and Ryker, L.C. Olfactory and acoustic behavior of *Pseudohylesinus nebulosus* (Coleoptera: Scolytidae) on Douglas-fir bark, 645.
Ohmart, C.P. and Voigt, W.G. Athropod communities in the crowns of the natural and planted stands of *Pinus radiata* (Monterey pine) in California, 673.
Oliver, D.R. Description of *Euryhapsis* new genus including three new species (Diptera: Chironomidae), 711.
Pengelly, D.H. See Allan, S.A., 133.
Perron, J.-M. See Chawla, S.S., 315.
Peschken, D.P. and Wilkinson, A.T.S. Biocontrol of Canada thistle (*Cirsium arvense*): Releases and effectiveness of *Ceutorhynchus litura* (Coleoptera: Curculionidae) in Canada, 777.
Pickens, L.G. The life history and predatory efficiency of *Ravinia lherminieri* (Diptera: Sarcophagidae) on the face fly (Diptera: Muscidae), 523.
Pierce, H.D. See Borden, J.H., 557.
Pree, D.J. See Hagley, E.A.C. 899.
Preston, W.B. See McKillop, W.B., 251, 255.
Preston, W.B. and Westwood, A.R. The European skipper, *Thymelicus lineola* (Lepidoptera: Hesperiidae), in Manitoba and northwestern Ontario, 1123.
Rabaglia, R.J. and Lanier, G.N. A note on the priority of *Hylurgopinus rufipes* and *Hylastes salebrosus* (Coleoptera: Scolytidae), 565.
Radouco-Thomas, C. See Chawla, S.S., 315.
Raworth, D.A. See Baumgaertner, J.U., 975.
Read, D.C. Toxocity of propoxur in wet and dry mineral soil to adults and larvae of the cabbage maggot, *Hylemya brassicae* (Diptera: Antomyiidae), 1093.
Reardon, R.C. See Kaya, H.K., 787.
Regnière, J. See Cloutier, C., 193.
Rice, R.E. See Jorgensen, C.D., 149.
Richmond, C.E. Simulating aerial sprays for the western spruce budworm (Lepidoptera: Tortricidae): Evaluation of technique and two candidate insecticides, 819.
Riedl, H. and Croft, B.A. A timing trap for segregating catches of insects by discrete intervals, 765.
Rings, R.W. See Simonet, D.E., 873.
Robertson, J.L. and Kimball, R.A. Variables affecting the practical use of juvenile hormone analogues for control of the western spruce budworm (*Choristoneura occidentalis*) (Lepidoptera: Tortricidae), 827.
Rosenberger, J.L. See Brown, M.W., 575.
Rubink, W.L. See Simonet, D.E., 873.
Rudinsky, J.A. See Oester, P.T., 645.

Ryan, R.B. and **Theroux, L.J.** Establishment and distribution in 1977 of *Chrysocharis laricinellae* (Hymenoptera: Eulophidae), a parasite of the larch casebearer, *Coleophora laricella* (Lepidoptera: Coleophoridae), in western forests, 1129.

Ryker, L. C. See Oester, P.T., 645.

Safranyik, L. See Nijholt, W.W., 337.

Sahota, T.S. See Thomson, A.J., 177.

Sanborne, P.M. *Ptychopsis phalara*, a new genus and species of South American Banchinae (Hymenoptera: Ichneumonidae), 519.

A revision of the genus *Sesioplex* (Hymenoptera: Ichneumonidae) of North America, 623.

Sanders, C.J. Release rates and attraction of PVC lures containing synthetic sex attractant of the spruce budworm, *Choristoneura fumiferana* (Lepidoptera: Tortricidae), 103.

See also Houseweart, M.W., 527.

Sanders, C.J., Lucuik, G.S., and **Fletcher, R.M.** Responses of male spruce budworm (Lepidoptera: Tortricidae) to different concentrations of sex pheromone as measured in a sustained-flight wind tunnel, 943.

Savignac, R. and **Maire, A.** A simple character for recognizing second and third instar larvae of five Canadian mosquito genera (Diptera: Culicidae), 13.

Schaefer, C.H. See Colwell, A.E., 185.

Schmid, J.M. Distribution of western spruce budworm (Lepidoptera: Tortricidae) insect parasites in the crowns of host trees, 1101.

Schoolfield, R.M. See Sharpe, P.J.H., 845.

Scudder, G.G.E. The world Rhyparochrominae (Hemiptera: Lygaeidae). XVII. The genus *Hebrolethaeus* Scudder, 295.

Two new species of Lygaeinae (Hemiptera: Lygaeidae) from Canada, 747.

Sebastien, R.J. and **Lockhart, W.L.** The influence of formulation on toxicity and availability of a pesticide (methoxychlor) to black fly larvae (Diptera: Simuliidae), some non-target aquatic insects and fish, 281.

Sharkey, M.J. A revision of the Nearctic species of *Teleas* Latreille (Hymenoptera, Proctotrupoidea, Scelionidae), 907.

Sharpe, P.J.H., Schoolfield, R.M., and **Butler, G.D.** Distribution model of *Heliothis zea* (Lepidoptera: Noctuidae) development times, 845.

Shepard, M. See Gardner, W.A., 365.

Simonet, D.E., Clement, S.L., Rubink, W.L., and **Rings, R.W.** Temperature requirements for development and oviposition of *Peridroma saucia* (Lepidoptera: Noctuidae), 873.

Simpson, C.M. See Hagley, E.A.C., 75, 899.

Singh, S.M. and **Cunningham, T.K.** Morphological and genetic differentiation in apids (Aphididae), 539.

Slessor, K.N. See Borden, J.H., 557.

Slight, C. See McAlpine, J.F., 615.

Smetana, A. A new genus and species of Quediini from Chile (Coleoptera: Staphylinidae), 349.

Revision of the tribe Quediini of America north of Mexico (Coleoptera. Staphylinidae). Supplementum 5, 631.

Smith, B.C. Effect of soil applications of carbofuran on egg populations of the northern corn rootworm (Coleoptera: Chrysomelidae), 73.

Smith, M.T. See Goyer, R.A., 807.

Spies, C.J. See Dimond, J.B., 661.

Steck, W.F. See Byers, J.R., 235; Underhill, E.W., 245.

Stehr, F.W. and **Neunzig, H.H.** A simplified terminology for the tonofibrillary structures associated with the muscles of Lepidoptera larvae, 1107.

Stevenson, A.B. Development of the carrot rust fly, *Psila rosae* (Diptera: Psilidae), relative to temperature in the laboratory, 569.

Stock, M.W. and **Castrovillo, P.J.** Genetic relationships among representative populations of five *Choristoneura* species: *C. occidentalis, C. retiniana, C. biennis, C. lambertiana*, and *C. fumiferana* (Lepidoptera: Tortricidae), 857.

Sullivan, D.J. See Bocchino, F.J., 895.

Summers, C.G. See Baumgaertner, J.U., 975.

Surgeoner, G.A. See Allan, S.A., 133.

Tanigoshi, L.K. and **Moreno, D.S.** Traps for monitoring populations of the citrus thrips, *Scirtothrips citri* (Thysanoptera: Thripidae), 9.

Teal, P.E.A. See Byers, J.R., 235.

Theroux, L.J. See Ryan, R.B., 1129.

Thomson, A.J. and **Sahota, T.S.** Competition and population quality in *Dendroctonus rufipennis* (Coleoptera: Scolytidae), 177.

Timmins, P.R. See Foott, W.H., 585.

Tonks, N.V. See Everson, P.R., 333.
Underhill, E.W. See Byers, J.R., 235.
Underhill, E.W., Steck, W.F., Byers, J.R., and **Chisholm, M.D.** Biosystematics of the genus *Euxoa* (Lepidoptera: Noctuidae). XVI. (*Z*)-5-Decenyl acetate, a sex attractant for three closely related species, *Euxoa declarata*, *Euxoa campestris*, and *Euxoa rockburnei*, 245.
Van Bendegem, J.P., Gibo, D.L., and **Alloway, T.M.** Effects of colony division on foundress associations in *Polistes fuscatus* (Hymenoptera: Vespidae), 551.
Vinson, S.B. See Barlin, M.R., 931.
Voigt, W.G. See Ohmart, C.P., 673.
Voshell, J.R. See Kondratieff, B.C., 259.
Wellington, W.G. and **Fitzpatrick, S.M.** Territoriality in the drone fly, *Eristalis tenax* (Diptera: Syrphidae), 695.
Westigard, P.H. See Jorgensen, C.D., 149.
Westwood, A.R. See Preston, W.B., 1123.
Westwood, A.R. and **Brust, R.A.** Ecology of black flies (Diptera: Simuliidae) of the Souris River, Manitoba as a basis for control strategy, 223.
White, J. Flagging: Hosts defences versus oviposition strategies in periodical cicadas (*Magicicada* spp.: Cicadidae, Homoptera), 727.
Wilkening, A.J., Foltz, J.L., Atkinson, T.H., and **Connor, M.D.** An omnidirectional flight trap for ascending and descending insects, 453.
Wilkinson, A.T.S. See Peschken, D.P., 777.
Willcocks, A.J. See Fogal, W.H., 949.
Williams, L.H. and **Mauldin, J.K.** Survival and growth of the anobiid beetle *Xyletinus peltatus* (Coleoptera: Anobiidae) on various woods, 651.
Winston, D.A. See Fogal, W.H., 949.
Wolfe, R.L. See Holsten, E.H., 79.
Wraight, S.P., Molloy, D., and **Jamnback, H.** Efficacy of *Bacillus sphaericus* strain 1593 against the four instars of laboratory reared and field collected *Culex pipiens pipiens* and laboratory reared *Culex salinarius*, 379.
Wylie, H.G. Effects of collection method on estimates of parasitism and sex ratio of flea beetles (Coleoptera: Chrysomelidae) that infest rape crops in Manitoba, 665.
Yoshimoto, C.M. First record of *Thripoctenoides* from North America, with description of a new species (Hymenoptera: Eulophidae), 723.
See also Gibson, G.A.P., 881.